


INDUSTRIAL LINE



PLUGFONES®

EARPLUGS WITH AUDIO





PLUGFONES



IN THE LATE 2000s, WE RECOGNIZED A GREAT NEED IN THE WORKPLACE

On the job, workers are required to wear hearing protection but still want to listen or communicate with others while staying safe. That's why we created **Plugfones®**, a combination of comfortable, safety-rated earplugs and high-quality speakers. The resulting hybrid offers the ultimate **hearing protection + listening experience** on the market. We've paired this hybrid with built-in features to make the workday more enjoyable while putting the protection of your hearing first.

EARPLUGS WITH AUDIO



THE MOST UNIQUE AND EFFECTIVE EARPLUGS WITH AUDIO

IN-EAR NOISE REDUCTION



Get the same silicone or foam earplugs to protect your hearing + audio! All Plugfones models have certified ANSI Noise Reduction Ratings (NRR).

COMFORTABLE & SECURE



Your comfort is vital when choosing hearing protection. Plugfones are designed to fit all ear types, keep you irritation-free, and be worn for hours at a time.

THE RIGHT SOUND



Featuring full and dynamic sound, Plugfones help make work more enjoyable by allowing you to listen and communicate with others.

INNOVATION



Plugfones help boost productivity and morale while meeting safety needs by protecting your hearing from hazardous noise levels.

PLUGFONES CERTIFIED NOISE REDUCTION RATINGS

Plugfones are earplugs first and audio second. As a safety product, the entire line is independently tested and compliant with **ANSI S3.19-1974** noise reduction standards and meets NIOSH criteria. When used as directed, our products are certified for Noise Reduction Ratings (NRR) of 23 or 26 dB. **WorkSafe™ Volume Limiting Technology** (available with specific models) keeps speaker volume below 82 dB and compliant with OSHA's max volume guidelines. For environments with high levels of noise, it may be necessary to use over-ear protection such as earmuffs in conjunction with Plugfones products.



Noise Reduction Rating	26 DECIBELS (WHEN USED AS DIRECTED)
THE RANGE OF NOISE REDUCTION RATINGS FOR EXISTING HEARING PROTECTORS IS APPROXIMATELY 0 TO 30. HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS.	
Plugfones LLC / Springville, UT 84603	Model# P26P
Federal law prohibits removal of this label prior to purchase.	EPA LABEL REQUIRED BY U.S. EPA REGULATION 40 CFR PART 271, Subpart B.



ComforTiered™ Silicone Plugs

Noise Reduction Rating	23 DECIBELS (WHEN USED AS DIRECTED)
THE RANGE OF NOISE REDUCTION RATINGS FOR EXISTING HEARING PROTECTORS IS APPROXIMATELY 0 TO 30. HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS.	
Plugfones LLC / Springville, UT 84603	Model# P23P
Federal law prohibits removal of this label.	EPA LABEL REQUIRED BY U.S. EPA REGULATION



ComforTwist™ Foam Plugs

NRRs & WHY THEY MATTER

A Noise Reduction Rating (NRR) is the number of decibels a noise level can be reduced by the proper application of the device tested. This rating is provided so that the consumer can choose a device that will help prevent hearing loss given their activities and usage.

According to the Occupational Safety and Health Administration's (OSHA) occupational noise exposure standard (29 CFR 1910.95), workers should wear personal protective equipment to prevent hearing loss when exposed to 85 dB or more over eight hours. The National Institute for Occupational Safety and Health (NIOSH) recommends the same, estimating that four million people work in hazardous noise levels every day.

WHICH NRR IS RIGHT FOR ME?

As with any safety product, we encourage users to evaluate their protection needs prior to use and choose hearing protection based on their environment and the potential hazards therein. Please reference OSHA's 29 CFR 1910.95 standard and ask your workplace safety official for more information on selecting hearing protection.

The risk of hearing loss increases with prolonged exposure to noise levels over 85 dB.



NEED TO KEEP IT UNDER 85 dB?

Look for the items with WorkSafe™ Volume Limiting Technology.

FEATURES & TECHNOLOGY



WORKSAFE™ Volume Limiting Technology

WorkSafe Volume Limiting Technology keeps speaker volume below 82 dB and compliant with OSHA's max volume guidelines.

FREEREIGN™

PROTECTOR PLUS™

PROTECTOR™



SOUNDSEAL™ Noise-Suppressing Technology

SoundSeal Noise-Suppressing Technology minimizes environmental noise to give you an immersive, unparalleled listening experience. It acts as a barrier between you and everything you don't want to hear, creating an atmosphere singular to you and your audio.

FREEREIGN™

PROTECTOR PLUS™

PROTECTOR™





ISOTALK™ Noise Isolating Mic



IsoTalk is a built-in noise isolating mic that identifies and silences environmental noise so the person on the other end of the call can hear you, not what's going on around you.

FREEREIGN™

PROTECTOR PLUS™

QUICKDRAW™ Easy Access Control



Quickdraw Easy Access Control features ruggedized buttons that allow you to play or pause, answer or end calls, adjust volume, and progress through songs without exposing your ears to unsafe levels of noise.

FREEREIGN™

PROTECTOR PLUS™

FEATURES & TECHNOLOGY



Tear-Resistant TUFFCORD™

TuffCord is a flexible and tear-resistant cable that protects the wires of your favorite Plugfones so you don't have to worry about scrapes and bumps.

FREEREIGN™

PROTECTOR PLUS™

PROTECTOR™



BLUETOOTH® Wireless Technology

With Bluetooth Plugfones, you get the crystal-clear audio you want + the protection you need without all the tangles. Equipped with Bluetooth 4.1, you can listen to a Bluetooth-enabled smart device from at least 33 feet away.

FREEREIGN™



**NEVEROUT™ Battery**

Featured on wireless Plugfones, NeverOut gives you up to 12 hours of play time with a full charge. Now you can get through long days and extended activities without stopping to recharge.

FREEREIGN™**FAST CHARGE**

Wireless Plugfones feature Fast Charge, the technology that gets you two hours of play time for only five minutes of charging.

FREEREIGN™



Industrial Bluetooth® Wireless Earplugs with Audio



WorkSafe™ Volume Limiting Technology

Available on the PIF-UY(VL)



SoundSeal™ Noise-Suppressing Technology



ComforTwist™ Foam Plugs

NRR of 23 dB



ComforTiered™ Silicone Plugs

NRR of 26 dB



Bluetooth® Wireless Technology

Listen to your Bluetooth-enabled device from up to 33 feet away



PIF-UY(VL)

Blue/Red/Yellow



PIF-BE

Black/Green



NeverOut™ Battery

12 hours of play time on a full charge



Fast Charge

5 minute charge = 2 hours of play



Tear-Resistant TuffCord™



IsoTalk™ Noise Isolating Mic

Identifies and silences environmental noise



Quickdraw™ Easy Access Control

Control music and manage calls



Tuned Speaker



Sweat-Resistant



**Independently Tested and Compliant
with ANSI S3.19-1974 Noise Reduction
Standards and NIOSH Criteria**



Included with the **FREEREIGN™**

- (2) Pairs Interchangeable ComforTwist™ Foam Plugs
- (2) Pairs Interchangeable ComforTiered™ Silicone Plugs
- Soft Nylon Zipper Case
- Cable Management Clip
- Micro USB to USB Charging Cable
- Quick Start Guide

Specifications

- Length: 34"
- Weight: 0.6 ounces (16 grams)
- Speaker Type: Tuned

For interchangeable replacement plugs, see page 21.

PROTECTOR PLUS™

Industrial Earplugs with Audio, Mic, & Controls



WorkSafe™ Volume Limiting Technology

Available on the PIPP-UY(VL) & PIPP-BR



SoundSeal™ Noise-Suppressing Technology



ComforTwist™ Foam Plugs
NRR of 23 dB



ComforTiered™ Silicone Plugs
NRR of 26 dB



Tear-Resistant TuffCord™



IsoTalk™ Noise Isolating Mic

Identifies and silences environmental noise



Quickdraw™ Easy Access Control

Control music and manage calls



Tuned Speaker



Sweat-Resistant



Double-Reinforced Jack



PIPP-UY(VL)
Blue/Red/Yellow




PIPP-BR
Black/Red



PIPP-BE
Black/Green



**Independently Tested and Compliant
with ANSI S3.19-1974 Noise Reduction
Standards and NIOSH Criteria**



Included with the **PROTECTOR PLUS™**

- (1) Pair Interchangeable ComforTwist™ Foam Plugs
- (1) Pair Interchangeable ComforTiered™ Silicone Plugs
- Waterproof Hard Case
- Cable Management Clip
- Stereo-to-Mono Adapter
- Quick Start Guide

Specifications

- Length: 54"
- Weight: 0.5 ounces (14 grams)
- Speaker Type: Tuned

For interchangeable replacement plugs, see page 21.

PROTECTOR™

Industrial Earplugs with Audio



WorkSafe™ Volume Limiting Technology

Available on the PIP-UY(VL) & PIP-BR



SoundSeal™ Noise-Suppressing Technology



ComforTwist™ Foam Plugs
NRR of 23 dB



ComforTiered™ Silicone Plugs
NRR of 26 dB



Tear-Resistant TuffCord™



Tuned Speaker



Sweat-Resistant



Double-Reinforced Jack



PIP-UY(VL)
Blue/Red/Yellow




PIP-BR
Black/Red



PIP-BE
Black/Green



**Independently Tested and Compliant
with ANSI S3.19-1974 Noise Reduction
Standards and NIOSH Criteria**



Included with the **PROTECTOR™**

- (1) Pair Interchangeable ComforTwist™ Foam Plugs
- (1) Pair Interchangeable ComforTiered™ Silicone Plugs
- Waterproof Hard Case
- Cable Management Clip
- Stereo-to-Mono Adapter
- Quick Start Guide


Specifications

- Length: 54"
- Weight: 0.35 ounces (10 grams)
- Speaker Type: Tuned


For interchangeable replacement plugs, see page 21.

COMFORTIERED™ SILICONE PLUGS

Compatible with **FREEREIGN™** **PROTECTOR PLUS™** **PROTECTOR™**



Yellow



Black



Noise
Reduction
Rating

26 DECIBELS
(WHEN USED AS DIRECTED)

THE RANGE OF NOISE REDUCTION RATINGS FOR EXISTING HEARING
PROTECTORS IS APPROXIMATELY 0 TO 30
(HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS)

Plugfones LLC / Springville, UT 84663

Model# PIPP

Federal law prohibits
removal of this label
prior to purchase.



LABEL REQUIRED BY
U.S. E.P.A. REGULATION
40 CFR PART 211, Subpart B.



**Independently Tested and Compliant
with ANSI S3.19-1974 Noise Reduction
Standards and NIOSH Criteria**

COMFORTWIST™ FOAM PLUGS

PRODUCTS

Compatible with **FREEREIGN™** **PROTECTOR PLUS™** **PROTECTOR™**



Yellow



Black



Noise
Reduction
Rating

23 DECIBELS
(WHEN USED AS DIRECTED)

THE RANGE OF NOISE REDUCTION RATINGS FOR EXISTING HEARING
PROTECTORS IS APPROXIMATELY 0 TO 30
(HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS)

Plugfones LLC / Springville, UT 84663

Model# PIPP

Federal law prohibits
removal of this label



LABEL REQUIRED BY
U.S. E.P.A. REGULATION



**Independently Tested and Compliant
with ANSI S3.19-1974 Noise Reduction
Standards and NIOSH Criteria**

ACCESSORIES



WATERPROOF HARD CASE



CABLE MANAGEMENT CLIP



**SOFT NYLON
ZIPPER CASE**



**STEREO-TO-MONO
ADAPTER**



**MICRO USB TO USB
CHARGING CABLE FOR
FREEIREIGN™**

DISPLAYS

PRODUCTS



12-UNIT POP COUNTER DISPLAY



4-UNIT CLIP STRIP





INFO@PLUGFONES.COM . 801.349.2545 . PLUGFONES.COM

